

## DAFTAR PUSTAKA

Afsar B et al. Malnutrition-inflammation score is a useful tool in peritoneal dialysis patients. *Perit Dial Int.* 2006 Nov-Dec;26(6):705-11.

Am J Kidney Dis.2001;38:1251-1263 Cederholm T, Barazzoni R, Austin P, Ballmer P, Biolo G, Bischoff SC, et al. ESPEN guidelines on definitions and terminology of clinical nutrition. *Clin Nutr* 2017;36:49e64

Badan Penelitian Dan Pengembangan Kesehatan Kementrian Kesehatan RI. Rise Kesehatan Dasar 2013.

Bouillanne O, Morineau G, Dupont C, Coulombel C, Vincent J, Nicolis I. Geriatric Nutritional Risk Index: a new index for evaluating at-risk elderly medical patients. *Am J Clin Nutr* 2005;82:777-83.

*Bouillanne O, Morineau G, Dupont C, Coulombel I, Vincent JP, Nicolis I, Benazeth S, Cynober L, Aussel C Am J Clin Nutr. 2005 Oct; 82(4):777-83 .* Poor nutritional status is associated with low physical activity in patients undergoing peritoneal dialysis.

Bouillanne O, Morineau G, Dupont C, Coulombel I, Vincent JP, Nicolis I, et al.

Cereda E, Klersy C, Pedrolli C, Klersy C, Cassani E, Caccialanza R, et al. The Geriatric Nutritional Risk Index predicts hospital length of stay and in-hospital weight loss in elderly patients. *Clin Nutr* 2015;34:74e8.

Cereda E, Zagami A, Vanotti A, Piffer S, Pedrolli C. Geriatric Nutritional Risk Index and overall-cause mortality prediction in institutionalised elderly: a 3-year survival analysis. *Clin Nutr* 2008;27:717e23.

Charney, P., 2009. *ADA Pocket Guide to Nutrition Assessment*, American Dietetic Association.

Chung S, Koh ES, Shin SJ, Park CW. 2012. Malnutrition in patients with chronic kidney disease. *Open Journal of internal medicine.* 2 : pp 89-99

Corwin, J.E. 2001. *Buku Saku Patofisiologi*. Penerbit Buku Kedokteran. Jakarta: EGC.

Departemen Kesehatan RI

G€ artnet S, Kraft M, Kruger J, Schmekel S, G€ artner S, Krüger J, et al. Geriatric nutritional risk index correlates with length of hospital stay and inflammatory markers in older inpatients. *Clin Nutr* 2017;36:1048e53

Geriatric Nutritional Risk Index: a new index for evaluating at-risk elderly medical patients. *Am J Clin Nutr* 2005;82:777e83.

Ikue Kobayashi , Eiji Ishimura , Yoko Kato. 2010. Geriatric Nutritional Risk Index, a simplified nutritional screening index, is a significant predictor of mortality in chronic dialysis patients

Infodatin pusat data dan informasi kementerian kesehatan RI : Situati penyakit gagal ginjal

Joel D. Pathophysiology of protein energy wasting in chronic renal failure. *The Journal of Nutrition*. 1999;129:247S-51S

Joel D. Pathophysiology of protein energy wasting in chronic renal failure. *The Journal of Nutrition*. 1999;129:247S-51S.

Kandarini, 2013. Peranan Ultrafiltrasi terhadap Hipertensi Interdialitik dan Hubungannya dengan Perubahan  $\text{Endothelin-1}$ ,  $\text{Asymmetric Dimethylarginin}$ , dan  $\text{Nitric Oxide}$ . [www.pps.unud.ac.id/unud-57-197584832](http://www.pps.unud.ac.id/unud-57-197584832)

Kang SH, Cho KH, Park JW, Yoon KW, Do JY. Geriatric Nutritional Risk Index as a prognostic factor in peritoneal dialysis patients. *Perit Dial Int*. 2013;33:405-410.

KDIGO. 2012. Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *Journal of The International Society if Nephrology*. Vol 3.

KDOQI. Guidelines Nutritional for Adult. 2000 ; 35 :S1-S140

Kobayashi I, Ishimura E, Kato Y, et al. Geriatric Nutritional Risk Index, a simplified nutritional screening index, is a significant predictor of mortality in chronic dialysis patients. *Nephrol Dial Transpl*.2010;25:3361-3365

Kohsuke Yamada, Ryuichi Furuya, Takako Takita, dkk. 2008. Simplified nutritional screening tools for patients on maintenance hemodialysis.

Konsensus Pernefri 2011

Kopaie MR, Nasri H. 2013. Impact of inflammation on anemia of hemodialysis patients who were under treatment of recombinant human erythropoietin. *Journal of Renal Injury Prevention*. 2(3) : pp 93-95

Kopple, J.D. 2007. *Dietary Considerations in Patients with Chronic Renal Failure, Acute Renal Failure, and Transplantation*. Philadelphia: Walnut street PA 19106 USA: 2709–2736.

Kusek JW. Cross-sectional study of healthrelated quality of life in African Americans with chronic renal insufficiency: The African American study of kidney disease and hypertension trial. *Am J Kidney Dis.* 2002;39(3):513-24.

Lowrie EG, Lew NL. Death risk in hemodialysis patients: the predictive value of commonly measured variables and an evaluation of death rate differences between facilities. *Am J Kidney Dis* 1990;15:458 – 82.

Mary Baradero, Mary Wilfrid Dayrit, Yakubus Siswadi, editor, Monika Ester, Esty Wahyuningsi (2009). *Klien Gangguan Ginjal: Seri Asuhan Keperawatan*. Jakarta: EGC

Pearce, Evelyn C. 2010. *Anatomi dan Fisiologi untuk Paramedis*, Jakarta. PT: Gramedia Pustaka Utama

Permetri. 2011. *Konsensus Nutrisi Pada Penyakit Ginjal Kronik*. Jakarta, Permetri Jakarta.

Persagi, 2010. *Penuntun Konseling Gizi*. PT. Abadi. Jakarta

Pifer TB, McCullough KP, Port FK, et al. Mortality risk in hemodialysis patients and changes in nutritional indicators: DOPPS. *Kidney Int* 2002; 62:2238 – 45.

Price, Sylvia Anderson dan Wilson, Lorraine M. C, 2006, *Patofisiologi: Konsep Klinis Proses-Proses Penyakit*, Edisi 6, Vol 2, Alih bahasa, Brahm U. Pendit, Penerbit Buku Kedokteran, EGC, Jakarta.

Rambod M, Bross R, Zitterkoph J, et al. Association of malnutritioninflammation score with quality of life and mortality in hemodialysis patients:a 5-year prospective cohort study.*Am J Kidney Dis.*2009;53:298-309. 6. Kalantar-Zadeh K, Kopple JD, Block G, Humphreys MH. A malnutrition-inflammation score is correlated with morbidity and mortality in maintenance hemodialysis patients.

Sudoyo, AW, dkk. 2006. *Buku Ajar Ilmu penyakit Dalam*. Edisi 4, Jilid 1. Departemen Ilmu Penyakit Dalam FKUI. Jakarta

Sukandar E. 2006. *Gagal Ginjal dan Panduan Terapi Dialisis*. Bandung: Pusat Informasi Ilmiah (PII) Bagian Ilmu Penyakit Dalam FKUNPAD RS Dr. Hasan Sadikin: 243–288

Supriasa, 2012. *Pendidikan dan Konseling Gizi*. Jakarta: Penerbit Buku Kedokteran EGC.

Susetyowati. 2002. *Pengaruh Konseling Gizi dengan Buklet Terhadap Konsumsi Makanan dan Status Gizi Penderita Ginjal Kronik dengan Hemodialisis di RS Dr. Sardjito Yogyakarta*. Jakarta: Proseding Kursus Penyegar Ilmu Gizi.

Suwitra, K. 2010. Penyakit Ginjal Kronik. Buku Ajar Penyakit Dalam Jilid II Edisi V. Jakarta. Pusat Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.

Takahashi H, Ito Y, Ishii H, et al. Geriatric Nutritional Risk Index accurately predicts cardiovascular mortality in incident hemodialysis patients. *J Cardiol.*2014;64:32-36.

*Wakamiya A, Hiraki K, Hotta C, Izawa KP, Watanabe S, Oishi D, Kaneshiro N, Konno Y, Sakurada T, Shibagaki Y, Kimura K Int J Cardiol. 2015; 187():648-50.*  
Yamada K, Furuya R, Takita T, et al. Simplified nutritional screening tools for patients on maintenance hemodialysis, *Am J Clin Nutr*, 2008, vol. 87 (pg. 106-113)