

DAFTAR PUSTAKA

- Abduh, M. *et al.* (2022). Survey Design: Cross Sectional dalam Penelitian Kualitatif. *Jurnal Pendidikan Sains dan Komputer*, (Online) Jilid 3, No 1, pp. 31–39. Available at: (<https://doi.org/10.47709/jpsk.v3i01.1955>, diakses 7 Januari 2024)
- Abdulhamid, A.K. and Sarker, S.-J. (2018). Is Abdominal Drainage After Open Emergency Appendectomy for Complicated Appendicitis Beneficial or Waste of Money? A Single Centre Retrospective Cohort Study. *Annals of Medicine and Surgery*, (Online) Jilid 36, pp. 168–172. Available at: (<https://doi.org/10.1016/j.amsu.2018.10.040>, diakses 21 November 2023)
- Agus, Iman Santoso. (2017). Pengaruh Mobilisasi Terhadap Jumlah Produksi Seroma pada Pasien Post Operasi Laparatomi di Rumah Sakit Lavalette Kota Malang. *Skripsi*. Malang: Poltekkes Kemenkes Malang.
- Anggraeni, R. (2018). Pengaruh Penyuluhan Manfaat Mobilisasi Dini Terhadap Pelaksanaan Mobilisasi Dini pada Pasien Pasca Pembedahan Laparatomi. *Syntax Literate*, (Online) Jilid 3, No 2. (jurnal.syntaxliterate.co.id/index.php/syntax-literate/article/view/325, diakses 20 Desember 2023)
- Arif, M., Yuhelmi, Y. and Demur, D. (2022). Pelaksanaan Mobilisasi Dini Berpengaruh Terhadap Proses Penyembuhan Luka Pasien Post Laparatomi. *Prosiding Seminar Kesehatan Perintis*, (Online) Jilid 4, No 2, pp. 24-29. Available at: (<https://www.jurnal.upertis.ac.id/index.php/PSKP/article/view/716>, diakses 12 Desember 2023)
- Azamris (2015). Perbandingan Efektivitas Lama Pemakaian Drain Pasif untuk Mencegah Seroma Pasca-Modified Radical Mastectomy. *Cermin Dunia Kedokteran*, (Online) Jilid 42, No 2. Available at: (<https://doi.org/10.55175/cdk.v42i2.1036>, diakses 18 November 2023)
- Banerjee et al, D., Williams, E.V., Ilott, J., Monypenny, I.J., & Webster, D.J. (2001). Obesity Predisposes to Increased Drainage Following Axillary Node Clearance: A Prospective Audit. *Annals of the Royal College of Surgeons of England*, (Online) Jilid 83, No 4, (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2503373/>, diakses 19 Mei 2024)
- Borg, G., Dihge, L. and Johansson, K. (2023). Risk Factors for Seroma Formation After Axillary Lymph Node Dissection with Special Focus on the Impact of Early Shoulder Exercise. *Acta Oncologica*, (Online) Jilid 62, No 5, pp.

- 444–450. Available at: (<https://doi.org/10.1080/0284186X.2023.2203831>, diakses 21 Mei 2024)
- Chen, C.-F. *et al.* (2016). Risk of Infection is Associated More with Drain Duration than Daily Drainage Volume in Prosthesis-Based Breast Reconstruction: A Cohort Study. *Medicine*, (Online) Jilid 95, No 49, p. e5605. Available at: (<https://doi.org/10.1097/MD.0000000000005605>, diakses 18 November 2023)
- Chintamani *et al.* (2005). Half Versus Full Vacuum Suction Drainage After Modified Radical Mastectomy for Breast Cancer-A Prospective Randomized Clinical Trial. *BMC Cancer*, (Online) Jilid 5, No 1, p. 11. Available at: (<https://doi.org/10.1186/1471-2407-5-11>, diakses 18 November 2023)
- Christian, J.S., Adiputra, P.A.T. and Wiargitha, I.K. (2021). Perbandingan Pemakaian Satu Drain dengan Dua Drain Aktif Terhadap Volume Seroma dan Lama Pemakaian Drain Paska Modified Radical Mastectomy di RSUP Sanglah Denpasar. *JBN (Jurnal Bedah Nasional)*. (Online) Jilid 5, No 2, p. 46. Available at: (<https://doi.org/10.24843/JBN.2021.v05.i02.p03>, diakses 24 Desember 2023)
- Darmawan, K., Hani'ah, H., and Suprayogi, A., (2017). Analisis Tingkat Kerawanan Banjir di Kabupaten Sampang Menggunakan Metode Overlay dengan Scoring Berbasis Sistem Informasi Geografis. *Jurnal Geodesi Undip*, (Online) Volume 6, No 1, pp. 31-40. (<https://doi.org/10.14710/jgundip.2017.15024>, diakses 10 Januari 2024)
- Kurnia, A. *et al.* (2016). Correlation between Obesity and Seroma Following Modified Radical Mastectomy. *The New Ropanasuri Journal of Surgery*, (Online) Volume 1, No 1, pp. 3–6. Available at: (<https://doi.org/10.7454/nrjs.v1i1.2>, diakses 19 Mei 2024)
- Lee, K.-T. and Mun, G.-H. (2015). Fibrin Sealants and Quilting Suture for Prevention of Seroma Formation Following Latissimus Dorsi Muscle Harvest: A Systematic Review and Meta-analysis. *Aesthetic Plastic Surgery*, (Online) Volume 39, No 3, pp. 399–409. Available at: (<https://doi.org/10.1007/s00266-015-0476-x>, diakses 11 Mei 2024)
- Makama, J. and Ameh, E. (2008). Surgical Drains: What the Resident Needs To Know. *Nigerian Journal of Medicine*, (Online) Volume 17, No 3. Available at: (<https://doi.org/10.4314/njm.v17i3.37389>, diakses 18 November 2023)
- Makbul, M. (2021) *Metode Pengumpulan Data dan Instrumen Penelitian*. Open Science Framework; Preprint. Available at: (<https://doi.org/10.31219/osf.io/svu73>, 9 Januari 2024)

- Marangi, G.F. *et al.* (2020). Management of Chronic Seromas: A Novel Surgical Approach with the Use of Vacuum Assisted Closure Therapy. *International Wound Journal*, (Online) Volume 17, No 5, pp. 1153–1158. Available at: (<https://doi.org/10.1111/iwj.13447>, diakses 12 Desember 2023)
- Ozgur, C., Kleckner, M. and Li, Y. (2015). Selection of Statistical Software for Solving Big Data Problems: A Guide for Businesses, Students, and Universities. *SAGE Open*, (Online) Volume 5, No 2). Available at: (<https://doi.org/10.1177/2158244015584379>, diakses 13 Januari 2024)
- Papanikolaou, A. *et al.* (2022). Management of Postoperative Seroma: Recommendations Based on a 12-Year Retrospective Study. *Journal of Clinical Medicine*, (Online) Volume 11, No 17, p. 5062. Available at: (<https://doi.org/10.3390/jcm11175062>, diakses 23 November 2023)
- Rahmawati (2020). Hubungan Pengetahuan dengan Perilaku Mobilisasi Dini pada Pasien Post Operasi di Ruang Meranti RSUD Sultan Imanuddin Pangkalan Bun. *Skripsi*. Pangkalan Bun; STIKES Borneo Cendikia Medika. (<http://repository.stikesbcm.ac.id/id/eprint/140>, diakses 20 Desember 2023)
- Ridha, N. (2017). Proses Penelitian, Masalah, Variabel dan Paradigma Penelitian. *Hikmah*, (Online) Volume 14, No 1, pp. 62-70. Available at: (<https://ejurnal.staisumatera-medan.ac.id/index.php/hikmah/article/view/18>, diakses 8 Januari 2024)
- Rosdiana, R., Haris, I.A. and Suwena, K.R. (2019). Pengaruh Kepercayaan Konsumen Terhadap Minat Beli Produk Pakaian Secara Online. *Jurnal Pendidikan Ekonomi Undiksha*, (Online) Volume 11, No 1. pp. 318–330. Available at: (<https://doi.org/10.23887/jjpe.v11i1.20164>, diakses 8 Januari 2024)
- Schlottmann, F. *et al.* (2017). Laparoscopic Appendectomy: Risk Factors for Postoperative Intraabdominal Abscess. *World Journal of Surgery*, (Online) Volume 41, No 5, pp. 1254–1258. Available at: (<https://doi.org/10.1007/s00268-017-3869-y>, diakses 20 Mei 2024)
- Sormaz, İ.C. *et al.* (2017). Karin Ön Duvari Fitiklarının Tamirinde Açık Ve Laparoskopik Yöntemlerin Sonuçlarının Karşılaştırılması. *İstanbul Tıp Fakültesi Dergisi*, (Online) Volume 80, No 2. pp. 54–58. Available at: (<https://doi.org/10.18017/iuitfd.329884>, diakses 12 Desember 2023)
- Sugara, R.A., Aprina, A. and Purwati, P. (2023). Pengaruh Mobilisasi Dini terhadap Proses Penyembuhan Luka pada Pasien Post Operasi Laparatomi di RSUD. Jend. Ahmad Yani Kota Metro Provinsi Lampung. *Malahayati Nursing Journal*, (Online) Volume 5, No 4, pp. 1177–1187.

Available at: (<https://doi.org/10.33024/mnj.v5i4.9550>, diakses 21 Mei 2024)

- Swanson, E. (2016). Seroma Prevention in Abdominoplasty: Eliminating the Cause. *Aesthetic Surgery Journal*, (Online) Volume 36, No 1, pp. NP23–NP24. Available at: (<https://doi.org/10.1093/asj/sjv121>, diakses 21 Desember 2023)
- Syahru, S. (2011). Hubungan Antara Status Gizi dan Asupan Makanan dengan Penyembuhan Luka Operasi dan Lama Rawat Inap Pasien Bedah Digestif di Rs. Dr. Wahidin Sudirohusodo. *Dissertation*. Universitas Hasanuddin. (<https://repository.unhas.ac.id/id/eprint/10459/2/syahru1sai-2802-1syahrul-d%201-2.pdf>, diakses 20 Mei 2024)
- Uğurel, V. and Aslan, M.M. (2015). A Late Complication of Abdominoplasty Mistaken For An Ovarian Cystic Mass Which Was Diagnosed Only at Laparotomy: A Seroma. *Pamukkale Medical Journal*, (Online) Volume 8. No 2, pp. 136–139. Available at: (<https://doi.org/10.5505/ptd.2015.87609>, diakses 12 Desember 2023)
- Ulfa, R. (2021). Variabel Penelitian Dalam Penelitian Pendidikan. *Al-Fathonah*, (Online) Volume 1. No 1. pp. 342-351. (https://scholar.google.com/scholar?cluster=7211138943262425261&hl=id&as_sdt=0,5, diakses 8 Januari 2024)
- Ulfandi, D. and Jeo, W.S. (2020). Perbandingan Insiden Komplikasi Pascaoperasi Herniorafi dengan Mesh Teknik Lichtenstein dengan Teknik Laparoskopi Di RSCM. *Jurnal Ilmu Bedah Indonesia*, (Online) Volume 47, No 1, pp. 97–110. Available at: (<https://doi.org/10.46800/jibi-ikabi.v47i1.23>, diakses 20 Mei 2024)
- Warniati, N.W., Kurniasari, D. and Nuryani, D. (2019). Faktor-Faktor yang Berhubungan dengan Penyembuhan Luka Post Operasi Sectio Caesarea. *Jurnal Kebidanan*, (Online) Volume 5, No 1, pp. 7-15. (<https://core.ac.uk/download/pdf/230556311.pdf>, diakses 20 Mei 2024)
- Yusvika, I.A. (2016). Gambaran Pengetahuan Ibu Multigravida tentang Sibling Rivalry (Kecemburuan) di Wilayah Kerja Puskesmas Rawat Inap Kedaton Bandar Lampung. *Jurnal Kesehatan*, (Online) Volume 7, No 1, p. 81. Available at: (<https://doi.org/10.26630/jk.v7i1.122>, diakses 7 Januari 2024)
- Zieliński, J. *et al.* (2013). Analysis of Selected Factors Influencing Seroma Formation in Breast Cancer Patients Undergoing Mastectomy. *Archives of Medical Science*, (Online) Volume 1, pp. 86–92. Available at: (<https://doi.org/10.5114/aoms.2012.29219>, diakses 21 Mei 2024)